

M SERIES AVAILABLE FUNCTIONS



Flat Lever



Curved Lever



Half Curve Lever

How to Order

Series Function Lever & Trim Finish Handing

M - 20 - FE - USD26D - RHR

Lever & Trim Abbreviations

FE = Flat x Escutcheon	FS = Flat x Sectional
CE = Curved x Escutcheon	CS = Curved x Sectional
HE = Half Curve x Escutcheon	HS = Half Curve x Sectional

Outside/ Inside	Series/ Function	Type	ANSI No.	Function Description
	M-01	Passage	F01	Latchbolt operated by lever from either side at all times
	M-04	Entry/Office	F04	Latchbolt operated by lever from either side, except when outside lever is made inoperative by push button rocker. When outside lever is locked, latchbolt is retracted by key from outside or by rotating inside lever. - Auxiliary deadlatch
	M-05	Classroom	F05	Latch bolt operated by lever from either side except when outside lever is locked by key in outside cylinder. When outside lever is locked latchbolt may be retracted by key in outside cylinder or rotating inside lever. - Auxiliary dead latch
	M-07	Storeroom	F07	Latchbolt operated by key from outside or by rotating inside lever. Outside lever is always inoperative. - Auxiliary deadlatch
	E-M-07	Electrified Storeroom Fail Secure	F07	Fail Secure (Power unlock) Outside lever is unlocked when power is applied, and locked when power is removed. Latchbolt operated manually by key outside or by rotating inside lever. Lockset will lock in event of power failure. - Auxiliary deadlatch.
	E-M-07	Electrified Storeroom Fail Safe	F07	Fail Safe (Power lock) Outside lever is locked when power is applied and unlocked when power is removed. Latchbolt operated manually by key outside or by rotating inside lever - Auxiliary deadlatch
	M-13	Dormitory	F13	Latch bolt operated by lever from either side except when deadbolt is projected by key from outside or thumbturn from inside. Deadbolt is retracted by key outside or by rotating inside lever which retracts both bolts. (simultaneous retraction)
	M-19 M-19IND	Privacy Privacy w/ Indicator	F19	Latchbolt operated by lever from either side except when deadbolt is projected by thumbturn from inside. Deadbolt is retracted by emergency release outside and by thumbturn inside or rotating inside lever. Indicator option displays Occupied when deadbolt is projected and Vacant when deadbolt is retracted.